

# **PUBLIC NOTICE**

FEDERAL COMMUNICATIONS COMMISSION 45 L STREET NE WASHINGTON D.C. 20554

News media information 202-418-0500 Internet: http://www.fcc.gov (or ftp.fcc.gov) TTY (202) 418-2555

Report No. SES-02520

Wednesday November 23, 2022

Date Effective:

11/22/2022

# **Satellite Communications Services Information**

# re: Actions Taken

The Commission, by its International Bureau, took the following actions pursuant to delegated authority. The effective dates of the actions are the dates specified.

SES-AMD-20201030-01201

E E050097

GUSA Licensee LLC

Amendment

Grant of Authority

f Authority

Class of Station: Fixed Earth Stations

Nature of Service: Mobile Satellite Service

See IBFS File Number SES-MOD-20200728-00811 for description.

SITE ID: SBRG-1

LOCATION: BUILDING #735 185 SABRE DR., HIGHLANDS, SEBRING, FL

ANTENNA ID: SBR RFT1 6 meters **SEATEL** SEATEL TRACKER T6000 6900.0000 - 7055.0000 MHz N<sub>0</sub>N Unmodulated CW for testing Direct-sequence CDMA for single-carrier 6900.0000 - 7055.0000 MHz 2M50G2D telemetry data 6900.0000 - 7055.0000 MHz 1M23G7W CDMA voice and data: QPSK waveform consists of multiple direct-sequence spread-spectrum 1.23 Mchip/sec channels whose carriers are uniformly spaced. 6900.0000 - 7055.0000 MHz 1M23G2W Direct-sequence CDMA for single-carrier 6900.0000 - 7055.0000 MHz Wideband CDMA voice and data 2M46G7W

6900.0000 - 7055.0000 MHz	2M46G2W		Wideband CDMA for single-carrier AMSS
6900.0000 - 7055.0000 MHz	1M23XXX		White-noise-modulated carrier for testing
6875.9500 - 6877.1500 MHz	7K00G1D		TELEMETRY CARRIER
6875.9000 - 6879.1000 MHz	70K0G7D		TELEMETRY CARRIER
6875.0000 - 7055.0000 MHz	N0N		Unmodulated CW for testing
5096.0000 - 5250.0000 MHz	N0N	59.00 dBW	Unmodulated CW for testing; maximum EIRP density per carrier is 59.0 dBW in any bandwidth.
5096.0000 - 5250.0000 MHz	1M23XXX	59.00 dBW	White-noise-modulated carrier for testing
5096.0000 - 5250.0000 MHz	1M23G2W	55.00 dBW	Direct-sequence CDMA for single-carrier AMSS
5096.0000 - 5250.0000 MHz	1M23G7W	55.00 dBW	CDMA voice and data: QPSK waveform consists of multiple direct-sequence spread-spectrum 1.23 Mchip/sec channels whose carriers are uniformly spaced.
5096.0000 - 5250.0000 MHz	1M23G7W	55.00 dBW	CDMA voice and data
5096.0000 - 5250.0000 MHz	2M46G7W	55.00 dBW	Wideband CDMA voice and data
5096.0000 - 5250.0000 MHz	2M46G2W	55.00 dBW	Wideband CDMA for single-carrier AMSS
5096.0000 - 5250.0000 MHz	1M23XXX	59.00 dBW	White-noise-modulated carrier for testing
5096.0000 - 5250.0000 MHz	1M23G2W	55.00 dBW	Direct-sequence CDMA for single-carrier AMSS
5096.0000 - 5250.0000 MHz	N0N	59.00 dBW	Unmodulated CW for testing; maximum EIRP density per carrier is 59.0 dBW in any bandwidth.
5091.3800 - 5091.6200 MHz	40K0G2D	68.00 dBW	TELECOMMAND CARRIER
5091.0000 - 5250.0000 MHz	N0N		Unmodulated CW for testing; maximum EIRP density per carrier is 59.0 dBW in any bandwidth.
5091.0000 - 5092.0000 MHz	76K0F2D	68.00 dBW	FM SUBCARRIER ON TELECOMMAND CARRIER
5096.0000 - 5250.0000 MHz	4M50G7D	68.00 dBW	Burst mode packet data with π /2-BPSK modulation
6900.0000 - 7055.0000 MHz	200KG7D		Burst mode packet data with BPSK modulation

6900.0000 - 7055.0000 MHz 2M50G7D Direct-sequence CDMA for single-carrier

telemetry data

**Points of Communication:** 

SBRG-1 - GLOBALSTAR (S2115) - (NGSO)

SBRG-1 - GLOBALSTAR 2.0 - (NGSO)

**SES-AMD-20201221-01423** E E050097 GUSA Licensee LLC

Amendment

Grant of Authority Date Effective: 11/22/2022

Class of Station: Fixed Earth Stations

Nature of Service: Mobile Satellite Service

See IBFS File Number SES-MOD-20200728-00811 for description

SITE ID: SBRG-1

LOCATION: BUILDING #735 185 SABRE DR., HIGHLANDS, SEBRING, FL

ANTENNA ID:	SBR RFT1	6 meters	SEATEL	SEATEL TRACKER T6000
6900.0000	- 7055.0000 MHz		N0N	Unmodulated CW for testing
6900.0000	- 7055.0000 MHz		2M50G2D	Direct-sequence CDMA for single-carrier telemetry data
6900.0000	- 7055.0000 MHz		1M23G7W	CDMA voice and data: QPSK waveform consists of multiple direct-sequence spread-spectrum 1.23 Mchip/sec channels whose carriers are uniformly spaced.
6900.0000	- 7055.0000 MHz		1M23G2W	Direct-sequence CDMA for single-carrier AMSS
6900.0000	- 7055.0000 MHz		2M46G7W	Wideband CDMA voice and data
6900.0000	- 7055.0000 MHz		2M46G2W	Wideband CDMA for single-carrier AMSS
6900.0000	- 7055.0000 MHz		1M23XXX	White-noise-modulated carrier for testing
6900.0000	- 7055.0000 MHz		200KG7D	Burst mode packet data with BPSK modulation
6900.0000	- 7055.0000 MHz		2M50G7D	Direct-sequence CDMA for single-carrier telemetry data
6900.0000	- 7055.0000 MHz		1M23G7W	CDMA voice and data

6875.9500 - 6877.1500 MHz	7K00G1D		TELEMETRY CARRIER
6875.9000 - 6879.1000 MHz	70K0G7D		TELEMETRY CARRIER
6875.0000 - 7055.0000 MHz	N0N		Unmodulated CW for testing
5096.0000 - 5250.0000 MHz	N0N	59.00 dBW	Unmodulated CW for testing; maximum EIRP density per carrier is 59.0 dBW in any bandwidth.
5096.0000 - 5250.0000 MHz	1M23XXX	59.00 dBW	White-noise-modulated carrier for testing
5096.0000 - 5250.0000 MHz	1M23G2W	55.00 dBW	Direct-sequence CDMA for single-carrier AMSS
5096.0000 - 5250.0000 MHz	1M23G7W	55.00 dBW	CDMA voice and data: QPSK waveform consists of multiple direct-sequence spread-spectrum 1.23 Mchip/sec channels whose carriers are uniformly spaced.
5096.0000 - 5250.0000 MHz	1M23G7W	55.00 dBW	CDMA voice and data
5096.0000 - 5250.0000 MHz	2M46G7W	55.00 dBW	Wideband CDMA voice and data
5096.0000 - 5250.0000 MHz	2M46G2W	55.00 dBW	Wideband CDMA for single-carrier AMSS
5096.0000 - 5250.0000 MHz	1M23XXX	59.00 dBW	White-noise-modulated carrier for testing
5096.0000 - 5250.0000 MHz	1M23G2W	55.00 dBW	Direct-sequence CDMA for single-carrier AMSS
5096.0000 - 5250.0000 MHz	N0N	59.00 dBW	Unmodulated CW for testing; maximum EIRP density per carrier is 59.0 dBW in any bandwidth.
5096.0000 - 5250.0000 MHz	4M50G7D	68.00 dBW	Burst mode packet data with π /2-BPSK modulation
5091.3800 - 5091.6200 MHz	40K0G2D	68.00 dBW	TELECOMMAND CARRIER
5091.0000 - 5250.0000 MHz	N0N		Unmodulated CW for testing; maximum EIRP density per carrier is 59.0 dBW in any bandwidth.
5091.0000 - 5092.0000 MHz	76K0F2D	68.00 dBW	FM SUBCARRIER ON TELECOMMAND CARRIER
6900.0000 - 7055.0000 MHz	280KG7D		Burst mode packet data with BPSK modulation
6900.0000 - 7055.0000 MHz	230KG7D		Burst mode packet data with BPSK modulation

# SBRG-1 - GLOBALSTAR (S2115) - (NGSO)

# SBRG-1 - GLOBALSTAR 2.0 - (NGSO)

SES-LIC-20220907-00947	F	E220136	Pacific Dataport Inc.

Application for Authority 11/21/2022 - 11/21/2037

Grant of Authority Date Effective: 11/21/2022

Class of Station: Other

Nature of Service: Fixed Satellite Service

SITE ID: Beam D LOCATION: AK

ANTENNA ID: 3	0.9 meters	Global Skyware	90158
---------------	------------	----------------	-------

29550.0000 - 30000.0000 MHz 450MD7D 62.52 dBW M-ary PSK, Digital Carrier

18300.0000 - 18750.0000 MHz 450MD7D M-ary PSK, Digital Carrier

19700.0000 - 20200.0000 MHz 500MD7D M-ary PSK, Digital Carrier

ANTENNA ID: 4 1.2 meters Global Skyware 12358

19700.0000 - 20200.0000 MHz 500MD7D M-ary PSK, Digital Carrier

ANTENNA ID: 1 1.8 meters Global Skyware 1815

29550.0000 - 30000.0000 MHz 450MD7D 68.02 dBW M-ary PSK, Digital Carrier

19700.0000 - 20200.0000 MHz 500MD7D M-ary PSK, Digital Carrier

18300.0000 - 18750.0000 MHz 450MD7D M-ary PSK, Digital Carrier

ANTENNA ID: 2 2.4 meters Global Skyware 24156

18300.0000 - 18750.0000 MHz 450MD7D M-ary PSK, Digital Carrier

19700.0000 - 20200.0000 MHz 500MD7D M-ary PSK, Digital Carrier

29550.0000 - 30000.0000 MHz 450MD7D 70.02 dBW M-ary PSK, Digital Carrier

SITE ID: Beam E LOCATION: AK

ANTENNA ID: 5 0.9 meters Global Skyware 90158

29300.0000 - 29750.0000 MHz 450MD7D 62.52 dBW M-ary PSK, Digital Carrier

Page 5 of 14

18300.0000 - 18750.0000 MHz	450MD7D		M-ary PSK Digital Carrier
19700.0000 - 20200.0000 MHz	500MD7D		M-ary PSK, Digital Carrier
ANTENNA ID: 6	1.2 meters Global Sky	ware	12358
29300.0000 - 29750.0000 MHz	450MD7D	65.02 dBW	M-ary PSK, Digital Carrier
18300.0000 - 18750.0000 MHz	450MD7D		M-ary PSK, Digital Carrier
19700.0000 - 20200.0000 MHz	500MD7D		M-ary PSK, Digital Carrier
ANTENNA ID: 7	1.8 meters Global Sky	ware	1815
29300.0000 - 29750.0000 MHz	450MD7D	68.02 dBW	M-ary PSK, Digital Carrier
18300.0000 - 18750.0000 MHz	450MD7D		M-ary PSK Digital Carrier
19700.0000 - 20200.0000 MHz	500MD7D		M-ary PSK, Digital Carrier
ANTENNA ID: 8	2.4 meters Global Sky	ware	24156
18300.0000 - 18750.0000 MHz	450MD7D		M-ary PSK, Digital Carrier
19700.0000 - 20200.0000 MHz	500MD7D		M-ary PSK, Digital Carrier
29300.0000 - 29750.0000 MHz	450MD7D	70.02 dBW	M-ary PSK, Digital Carrier
SITE ID: Beam F LOCATION:			
ANTENNA ID: 9	0.9 meters Global Sky	ware	90138
28350.0000 - 28600.0000 MHz	250MD7D	62.50 dBW	M-ary PSK, Digital Carrier
19700.0000 - 20200.0000 MHz	500MD7D		M-ary PSK, Digital Carrier
ANTENNA ID: 10	1.2 meters Global Sky	ware	12358
28350.0000 - 28600.0000 MHz	250MD7D	64.92 dBW	M-ary PSK, Digital Carrier
19700.0000 - 20200.0000 MHz	500MD7D		M-ary PSK, Digital Carrier
ANTENNA ID: 11	1.8 meters Global Sky	ware	1815
28350.0000 - 28600.0000 MHz	250MD7D	67.92 dBW	M-ary PSK, Digital Carrier
19700.0000 - 20200.0000 MHz	500MD7D		M-ary PSK, Digital Carrier
ANTENNA ID: 12	2.5 meters Global Sky	ware	24156
19700.0000 - 20200.0000 MHz	500MD7D	0.00 dBW	M-ary PSK, Digital Carrier
	Dage 6	5 of 14	

	28350.00	00 - 28600.0000 MHz	:	250MD7D	70.02 dBW		M-ary PSK, Digital Carrier
SITE ID:	В	eam B					
LOCATIO		K ° 0 ' 0.00 " N LAT.			0 0 0 1	0.00 " W.I.C	DNC
	0	0 0.00 N LAT.			0 - 0	0.00 " W LC	JNG.
ANTE	NNA ID:	14	1.8 meters	Globa	al Skyware		1815
	29300.00	00 - 29500.0000 MHz		200MD7D	68.02 dBW		M-ary PSK, Digital Carrier
	18300.00	00 - 18650.0000 MHz	:	350MD7D			M-ary PSK, Digital Carrier
	19700.00	00 - 20200.0000 MHz		500MD7D			M-ary PSK, Digital Carrier
ANTE	NNA ID:	15	1.2 meters	Globa	al Skyware		12358
	29300.00	00 - 29500.0000 MHz	:	200MD7D	64.92 dBW		M-ary PSK, Digital Carrier
	18300.00	00 - 18650.0000 MHz		350MD7D			M-ary PSK, Digital Carrier
	19700.00	00 - 20200.0000 MHz		500MD7D			M-ary PSK, Digital Carrier
ANTE	NNA ID:	16	0.9 meters	Globa	al Skyware		90158
	29300.00	00 - 29500.0000 MHz	:	200MD7D	62.50 dBW		M-ary PSK, Digital Carrier
	18300.00	00 - 18650.0000 MHz	:	350MD7D			M-ary PSK, Digital Carrier
ANTE	NNA ID:	13	2.4 meters	Globa	al Skyware		24156
	18300.00	00 - 18650.0000 MHz	:	350MD7D			M-ary PSK, Digital Carrier
	29300.00	00 - 29500.0000 MHz	:	200MD7D	70.02 dBW		M-ary PSK, Digital Carrier
SITE ID: LOCATIO		eam C K					
ANTE	NNA ID:	18	0.9 meters	Globa	al Skyware		90158
	29550.00	00 - 30000.0000 MHz	:	450MD7D	62.52 dBW		M-ary PSK, Digital Carrier
	18300.00	00 - 18750.0000 MHz	:	450MD7D			M-ary PSK, Digital Carrier
	19700.00	00 - 20200.0000 MHz	:	500MD7D			M-ary PSK, Digital Carrier
ANTE	NNA ID:	19	1.2 meters	Globa	al Skyware		12358
	29550.00	00 - 30000.0000 MHz	:	450MD7D	65.02 dBW		M-ary PSK, Digital Carrier
	18300.00	00 - 18750.0000 MHz	:	450MD7D			M-ary PSK, Digital Carrier
	19700.00	00 - 20200.0000 MHz	:	500MD7D			M-ary PSK, Digital Carrier

ANTENNA ID: 20 1.8 meters Global Skyware 1815 M-ary PSK, Digital Carrier 29550.0000 - 30000.0000 MHz 450MD7D 68.02 dBW 18300.0000 - 18750.0000 MHz 450MD7D M-ary PSK, Digital Carrier 19700.0000 - 20200.0000 MHz 500MD7D M-ary PSK Digital Carrier ANTENNA ID: 17 Global Skyware 24156 2.4 meters 29550.0000 - 30000.0000 MHz 450MD7D 70.02 dBWM-ary PSK, Digital Carrier 18300.0000 - 18750.0000 MHz 450MD7D M-ary PSK, Digital Carrier 19700.0000 - 20200.0000 MHz 500MD7D M-ary PSK, Digital Carrier **Points of Communication:** 

Beam B - PERMITTED LIST - ()

Beam C - PERMITTED LIST - ()

Beam D - PERMITTED LIST - ()

Beam E - PERMITTED LIST - ()

Beam F - PERMITTED LIST - ()

SES-MOD-20200728-00811 E E050097 GUSA Licensee LLC

Application for Modification 01/04/2022 - 01/04/2037

Grant of Authority Date Effective: 11/22/2022

**Class of Station:** Fixed Earth Stations

Nature of Service: Mobile Satellite Service

SITE ID: SBRG-1

LOCATION: BUILDING #735 185 SABRE DR., HIGHLANDS, SEBRING, FL

> 27 ° 27 ' 34.30 " N LAT. 81 ° 21 ' 26.60 " W LONG.

SEATEL TRACKER T6000 ANTENNA ID: SBR RFT1 6 meters **SEATEL** 6900.0000 - 7055.0000 MHz N0N Unmodulated CW for testing 6900.0000 - 7055.0000 MHz 2M50G2D Direct-sequence CDMA for single-carrier telemetry data 6900.0000 - 7055.0000 MHz 1M23G7W CDMA voice and data: QPSK waveform consists of multiple direct-sequence spread-spectrum 1.23 Mchip/sec channels whose carriers are uniformly spaced. 6900.0000 - 7055.0000 MHz 1M23G2W Direct-sequence CDMA for single-carrier

AMSS

6900.0000 - 7055.0000 MHz	2M46G7W		Wideband CDMA voice and data
6900.0000 - 7055.0000 MHz	2M46G2W		Wideband CDMA for single-carrier AMSS
6875.9500 - 6877.1500 MHz	7K00G1D		TELEMETRY CARRIER
6875.9000 - 6879.1000 MHz	70K0G7D		TELEMETRY CARRIER
6875.0000 - 7055.0000 MHz	N0N		Unmodulated CW for testing
5096.0000 - 5250.0000 MHz	N0N	59.00 dBW	Unmodulated CW for testing; maximum EIRP density per carrier is 59.0 dBW in any bandwidth.
5096.0000 - 5250.0000 MHz	1M23G2W	55.00 dBW	Direct-sequence CDMA for single-carrier AMSS
5096.0000 - 5250.0000 MHz	1M23G7W	55.00 dBW	CDMA voice and data: QPSK waveform consists of multiple direct-sequence spread-spectrum 1.23 Mchip/sec channels whose carriers are uniformly spaced.
5096.0000 - 5250.0000 MHz	1M23G7W	55.00 dBW	CDMA voice and data
5096.0000 - 5250.0000 MHz	2M46G7W	55.00 dBW	Wideband CDMA voice and data
5096.0000 - 5250.0000 MHz	2M46G2W	55.00 dBW	Wideband CDMA for single-carrier AMSS
5096.0000 - 5250.0000 MHz	1M23G2W	55.00 dBW	Direct-sequence CDMA for single-carrier AMSS
5096.0000 - 5250.0000 MHz	N0N	59.00 dBW	Unmodulated CW for testing; maximum EIRP density per carrier is 59.0 dBW in any bandwidth.
5091.3800 - 5091.6200 MHz	40K0G2D	68.00 dBW	TELECOMMAND CARRIER
5091.0000 - 5250.0000 MHz	N0N		Unmodulated CW for testing; maximum EIRP density per carrier is 59.0 dBW in any bandwidth.
5091.0000 - 5092.0000 MHz	76K0F2D	68.00 dBW	FM SUBCARRIER ON TELECOMMAND CARRIER
5096.0000 - 5250.0000 MHz	4M50G7D	68.00 dBW	Burst mode packet data with π /2-BPSK modulation
6900.0000 - 7055.0000 MHz	200KG7D		Burst mode packet data with BPSK modulation
6900.0000 - 7055.0000 MHz	2M50G7D		Direct-sequence CDMA for single-carrier telemetry data
6900.0000 - 7055.0000 MHz	1M23G7W		CDMA voice and data

6900.0000 - 7055.0000 MHz 280KG7D Burst mode packet data with BPSK

modulation

6900.0000 - 7055.0000 MHz 230KG7D Burst mode packet data with BPSK

modulation

**Points of Communication:** 

SBRG-1 - GLOBALSTAR (S2115) - (NGSO)

SBRG-1 - GLOBALSTAR 2.0 - (NGSO)

**SES-MOD-20220803-00833** E E070095 PSSI Global Services LLC

Application for Modification 07/11/2022 - 07/11/2037

Grant of Authority Date Effective: 11/21/2022

Class of Station: Fixed Earth Stations

Nature of Service: Fixed Satellite Service

SITE ID: 1

LOCATION: 201 Browntown Road, Allegheny, New Kensington, PA

40 ° 32 ' 3.00 " N LAT. 79 ° 45 ' 18.00 " W LONG.

ANTENNA ID: SA 4.5m/1 4	.5 meters Scientific	Atlanta	8345
14000.0000 - 14500.0000 MHz	36M0G7F	78.30 dBW	Digital Video and Audio Services
14000.0000 - 14500.0000 MHz	4M00G7F	69.55 dBW	Digital Video and Audio Services
11700.0000 - 12200.0000 MHz	36M0G7F	0.00 dBW	Digital Video and Audio Services
11700.0000 - 12200.0000 MHz	4M00G7F	0.00 dBW	Digital Video and Audio Services
ANTENNA ID: 6.1m/2 6	5.1 meters Vertex		6.1 KPK
14000.0000 - 14500.0000 MHz	36M0G7F	81.00 dBW	Digital Video and Audio Services
14000.0000 - 14500.0000 MHz	4M00G7F	72.25 dBW	Digital Video and Audio Services
11700.0000 - 12200.0000 MHz	36M0G7F		Digital Video and Audio Services
11700.0000 - 12200.0000 MHz	4M00G7F		Digital Video and Audio Services
ANTENNA ID: 6.1 m/1 6	5.1 meters Vertex		6.1 KPK
14000.0000 - 14500.0000 MHz	36M0G7F	81.00 dBW	Digital Video and Audio Services
14000.0000 - 14500.0000 MHz	4M00G7F	72.25 dBW	Digital Video and Audio Services
11700.0000 - 12200.0000 MHz	36M0G7F	0.00 dBW	Digital Video and Audio Services
11700.0000 - 12200.0000 MHz	4M00G7F	0.00 dBW	Digital Video and Audio Services

ANTENNA ID:	SA 7m/1	7 meters	Scientific A	tlanta	8010
14000.000	0 - 14500.0000 MHz	3	66M0G7F	82.10 dBW	Digital Video and Audio Services
14000.000	0 - 14500.0000 MHz	4	M00G7F	73.35 dBW	Digital Video and Audio Services
11700.000	0 - 12200.0000 MHz	3	66M0G7F	0.00 dBW	Digital Video and Audio Services
11700.000	0 - 12200.0000 MHz	4	M00G7F	0.00 dBW	Digital Video and Audio Services

# **Points of Communication:**

# 1 - PERMITTED LIST - ()

SES-MOD-20221108-01185 E E200948 Astro Digital US, Inc.

Application for Modification

Grant of Authority Date Effective: 11/17/2022

06/29/2021 - 06/29/2036

Class of Station: Fixed Earth Stations

Nature of Service: Earth Exploration Satellite Service

On November 17, 2022, Astro Digital US, Inc. was granted extenstion of time to construct its earth station in Littleton, CO to December 26, 2022

SITE ID: T&C Operations Site

LOCATION: 7815 Shaffer Parkway, Jefferson, Littleton, CO

39 ° 34 ' 24.00 " N LAT. 105 ° 8 ' 1.00 " W LONG.

ANTENNA ID: UHF CMD 2.7 meters M2 Antenna Systems, Inc. 402CP42 402.8800 - 402.9200 MHz 40K0F1D 37.30 dBW 38.4 kbps GFSK Command Link 402.8800 - 402.9200 MHz 40K0F1D 37.30 dBW 38.4 kbps GFSK Command Link ANTENNA ID: UHF TLM 2.7 meters M2 Antenna Systems, Inc. 402CP42 400.4800 - 400.5200 MHz 40K0F1D  $0.00~\mathrm{dBW}$ 38.4 kbps GFSK Telemetry Link 400.4800 - 400.5200 MHz 40K0F1D 0.00 dBW38.4 kbps GFSK Telemetry Link

# **Points of Communication:**

T&C Operations Site - Landmapper-BC(S3014) - (NGSO)

**SES-STA-20220124-00077** E E201606 SpaceX Services, Inc.

Special Temporary Authority

Grant of Authority Date Effective: 11/21/2022

## **Class of Station:**

Administrative Grant to reflect continuing operations under Section 1.62 of the Commission's rules.

### **Points of Communication:**

SES-STA-20220322-00341 E E201606 SpaceX Services, Inc.

Special Temporary Authority

Grant of Authority Date Effective: 11/21/2022

### Class of Station:

Administrative Grant to reflect continuing operations under Section 1.62 of the Commission's rules.

### Points of Communication:

SES-STA-20221020-01153 E Inmarsat Inc.

Special Temporary Authority

Grant of Authority Date Effective: 11/21/2022

### Class of Station:

On November 21, 2022, Inmarsat Inc. ("Inmarsat") was granted an additional 30-Day Special Temporary Authority (STA), commencing November 17, 2022 through December 16, 2022, to conduct testing using Comsat's ground station testing facility located in Southbury, CT for communication with the Inmarsat 6-F1 satellite (licensed by the United Kingdom) located at the 28° W.L. Operations are limited to testing of the Southbury gateway in anticipation of launching the nearly identical Inmarsat 6-F2 satellite next year, in the 27.5-29.1 GHz and 29.3-30.0 GHz (Earth-to-space), and in the 17.7-17.8 GHz, 17.9-19.4 GHz, and 19.6-20.2 GHz (space-to-Earth).

### **Points of Communication:**

**SES-STA-20221107-01235** E E220089 SpaceX Services, Inc.

Special Temporary Authority

Grant of Authority Date Effective: 11/21/2022

# Class of Station:

On November 21, 2022, SpaceX Services, Inc. was granted special tempoerary authority for 60 days, beginning on November 22, 2022 through January 20, 2023, to operate its fixed earth station in Romulus, NY to communicate with the non-geosynchronous orbit (NGSO) satellite constellation SpaceX (S2983/3018) in the 27.5-29.1 GHz and 29.5-30.0 GHz (Earth-to-space), and 17.8-18.6 GHz and 18.8-19.3 GHz (space-to-Earth) frequency bands.

# **Points of Communication:**

**SES-STA-20221107-01247** E E201606 SpaceX Services, Inc.

Special Temporary Authority

Grant of Authority Date Effective: 11/21/2022

# Class of Station:

Administrative Grant to reflect continuing operations under Section 1.62 of the Commission's rules.

## **Points of Communication:**

**SES-STA-20221107-01248** E E220082 SpaceX Services, Inc.

Special Temporary Authority

Grant of Authority Date Effective: 11/21/2022

# Class of Station:

On November 21, 2022, SpaceX Services, Inc. was granted special tempoerary authority for 60 days, beginning on November 22, 2022 through January 20, 2023, to operate its fixed earth station in Clinton, IL to communicate with the non-geosynchronous orbit (NGSO) satellite constellation SpaceX (S2983/3018) in the 27.5-29.1 GHz and 29.5-30.0 GHz (Earth-to-space), and 17.8-18.6 GHz and 18.8-19.3 GHz (space-to-Earth) frequency bands.

### **Points of Communication:**

**SES-STA-20221107-01249** E E220080 SpaceX Services, Inc.

Special Temporary Authority

Grant of Authority Date Effective: 11/21/2022

#### Class of Station:

On November 21, 2022, SpaceX Services, Inc. was granted an additional 60-day Special Temporary Authority (STA), commencing November 22, 2022 through January 20, 2023, to operate its fixed earth station in Angola, IN with non-geosynchronous orbit (NGSO) satellite constellation SpaceX (Call Sign S2983/3018) in the 27.5-29.1 GHz, 29.5-30.0 GHz (Earth-to-space), and in the 17.8-18.6 GHz, 18.8-19.3 GHz (space-to-Earth) frequency bands.

## **Points of Communication:**

**SES-STA-20221107-01250** E E220073 SpaceX Services, Inc.

Special Temporary Authority

Grant of Authority Date Effective: 11/21/2022

# Class of Station:

On November 21, 2022, SpaceX Services, Inc. was granted an additional 60-day Special Temporary Authority (STA), commencing November 22, 2022 through January 20, 2023, to operate its fixed earth station located in Brunswick, ME with non-geosynchronous orbit (NGSO) satellite constellation SpaceX (Call Sign S2983/3018) in the 27.5-29.1 GHz, 29.5-30.0 GHz (Earth-to-space), and in the 17.8-18.6 GHz, 18.8-19.3 GHz (space-to-Earth).

# **Points of Communication:**

**SES-STA-20221107-01251** E E220078 SpaceX Services, Inc.

Special Temporary Authority

Grant of Authority Date Effective: 11/21/2022

# Class of Station:

On November 21, 2022, SpaceX Services, Inc. was granted an additional 60-day Special Temporary Authority (STA), commencing November 22, 2022 through January 20, 2023, to operate its fixed earth station located in Hillsboro, TX with non-geosynchronous orbit (NGSO) satellite constellation SpaceX (Call Sign S2983/3018) in the 27.5-29.1 GHz, 29.5-30.0 GHz (Earth-to-space), and in the 17.8-18.6 GHz, 18.8-19.3 GHz (space-to-Earth) frequency bands.

## **Points of Communication:**

SES-STA-20221109-01226 E Intelsat License LLC

Special Temporary Authority

Grant of Authority Date Effective: 11/21/2022

# Class of Station:

On November 21, 2022, Intelsat License LLC was granted special temporary authority for 30 days, beginning on November 22, 2022 through December 21, 2022 to test its earth stations located in Broomfield CO, Hagerstown, MD, and Rochester, NY. The testing will occur while the antennas are stationary and while in motion on a terrestrial vehicle in the 14200-14500 MHz (Earth-to-space) and 11700-12200 MHz (space-to-Earth) frequency bands.

# Points of Communication:

SES-STA-20221110-01252 E E170205 Alaska Communications Internet, LLC

Special Temporary Authority

Grant of Authority Date Effective: 11/22/2022

### Class of Station:

On November 22, 2022, Alaska Communications Internet LLC ("Alaska Communications Internet") was granted a 60-day Special Temporary Authority ("STA"), commencing November 22, 2022 through January 20, 2023 to operate a replacement 2.4-meter antenna in Yakutat, AK with geosynchronous orbit (GSO) satellite EUTELSAT 115WB (S2938) satellite located at the 114.9°W.L. orbital location on frequency bands: 5925-6425 MHz (Earth-to-space) and 3700-4200 MHz (space-to-Earth).

# **Points of Communication:**

SURRENDER

**SES-REG-20181012-05510** E200215 Vexus Fiber, LLC

Registration surrendered by letter filed on 11/17/2022

**SES-REG-20181016-05712** E200401 Vexus Fiber, LLC

Registration surrendered by letter filed on 11/17/2022

**SES-REG-20181016-06367** E201023 Vexus Fiber, LLC

Registration surrendered by letter filed on 11/17/2022

**SES-REG-20181016-06441** E201082 Vexus Fiber, LLC

Registration surrendered by letter filed on 11/17/2022

**SES-REG-20181016-06464** E201107 Vexus Fiber, LLC

Registration surrendered by letter filed on 11/17/2022

For more information concerning this Notice, contact the Satellite Division at 418-0719; TTY 1-888-835-5322.